


PEAK ESCAPEMENT RECORD

103-60-25

| DATE | PINK | CHUM | OTHER SPECIES | REMARKS |
|-------------------|-----------|-----------|---------------|-----------------------------|
| 10/8/45 | 60,999 | 400 | 1,000 coho | Excellent. Few at mouth |
| 10/6/46 | 1,000 | | Few coho | Poor seeding. None at mouth |
| 9/24/47 | 100 | 1,000 | | Poor seeding. None at mouth |
| 9/15/48 | 200 | 500 | Few coho | Poor seeding. None at mouth |
| 8/5/49 | -0- | 4 | | |
| 9/20/51 | 1,700 | | | |
| 9/13/53 | 8 | 20 | | |
| 9/18/54 | | | | Damaged by logging |
| 9/8/57 | 375 | | | 12 pink at mouth |
| 1960 through 1961 | | | | No survey |
| 9/3/62 | 900 | None seen | | |
| 8/22/63 | 7,500 | 100 | | |
| 8/20/64 | 100 | None seen | | |
| 1965 | None seen | None seen | | |
| 1966 through 1967 | | | | No survey |
| 8/27/68 | 500 | None seen | | |
| 8/7/69 | 1,010 | 7 | | |
| 1970 | None seen | None seen | | |
| 8/15/71 | 7,000 | None seen | | |
| 1972 | No survey | No survey | | |
| 9/7/73 | 4,100 | None seen | | |



stream is much more stable here than downstream, few fry observed, land form indicates that streams continue in a similar manner for approx 1/2 mi, moderate gradient, swift riffles, bedrock, small boulders and cobbles, fair

15' wide rearing potential
40% ASA pool
swift riffles
2 Dolly Varden fry
12' wide
swift riffles 2800'
(848m)

Weather: overcast

Air: 59°F

Tide: low

Water: 50°F

pH: 7.5

color: lt. brown, clear

flow: est 18 cfs

Spawning and rearing:

rearing: good

spawning: 2800'x15'x60%ASA


103-60-25

6-26-77

Larson

900'

(273m)



400'

(121m)

300'

(91m)

103-60-25

Big Salt Lake